EVOline[®]

Product overview



EVOLINE® made in Germany

EVOline[®] Contents



Construction kit Page 4



One / OneLock / OneDisQ Page 6



Circle80 - Access / DisQ / Hide Page 14



BackFlip **Page 22**



Square80 **Page 24**



FlipTop Push **Page 26**



FrameDock / FrameDock Hide Page 28



Port **Page 32**



Dock Square **Page 34**



Dock **Page 36**



R-Dock Page 38



V-Dock Page 40



U-Dock **Page 42**



Up Page 44



Vertical Page 46



Express **Page 48**



Apsa 6000 / 7000 Page 52




Wireless Charger Page 56



Plug / PlugFix / PlugMini Page 58



Wing / Cable Management Page 62



Ordering example

1. Select your EVOline product



EVOline[®] Construction kit









EVOline[®] One

One size fits all.


EVOline One - the compact power or data access point. The round socket can be installed horizontally or vertically and can be adapted to the respective requirements thanks to the wide range of modular inserts.




approved sockets.



In addition to the variable inserts, EVOline also offers individually selectable rotating covers. Whether at the workplace, in the conference room, in the lounge area or in the kitchenette, the EVOline One provides fast and safe access to power or data - and in a very space-saving, discreet manner at that.









EVOline[®] One


Installation anywhere.

With the help of the two upholstery sleeves, the One can also be easily installed in upholstered furniture. The different versions allow versatile installation in different upholstery and basic construction heights.

Upholstery sleeves for flat and Installation in upholstered furniture. high upholstery. Fabric or leather covering flat high Patented upholstery sleeve Furniture upholstery **Clamping wing** Bore hole Ø 60 mm / 2 ^{3/8} inch Furniture base structure **Clamping wing short**


Installation in very thin panel thicknesses or low installation depths.

The two spacer sleeves Lift and SlimFit enable the One to be installed in very thin wall thicknesses from 1 mm. One or both sleeves are simply slid over the One as required during installation to achieve an additional 12 mm in front of and/or 10 mm behind the panel.









SlimFit - 10 mm





EVOline[®] OneLock

Protected everywhere.

The infrastructure of busy public spaces like airports, libraries or school buildings needs to have a long life span. And it has to be durable and protected from theft.


The OneLock is the ideal power supply solution in public areas because it provides effective anti-theft protection.


A special tool is required to release the ring on the fitted product.






Unlatch the OneLock ring with the unlocking device.






A printed lock symbol is the only thing that differentiates the One-Lock from the conventional One variant.

As the OneLock's housing was custom-developed to be a secure fitting, retrofitting the traditional model, or flush mounting isn't possible.











Inductive charging

The EVOline One DisQ is a module extension providing the much-sought option to add 'Wireless Charging' of compatible smartphones to installed EVOline One units. Easy to retrofit, it simply requires a small adjustment to upgrade whilst keeping the existing EVOline One installation. Power, USB Charger, Data or Multimedia sockets of the EVOline One remain free to use during Wireless Charging and can even be used simultaneously!

In conjunction with the optional One Lock, our tamper and theft-proof solution, the One DisQ cannot be removed by the end user, providing an ideal solution for applications within public venues such as Hotels, Restaurants, Coffee shops, Universities and many more.



Installation in upholstery or flush with the surface is not possible.







Double

charger

with USB A

available.

and C socket

EVOline[®] Circle80





Freely configurable according to your wishes. Available with internationally approved sockets.

The three-in-one solution for your workstation.

The EVOline Circle80 unites three functions in one in an intelligent way: power socket, double USB charger and cable aperture. Optional finishing modules enable further individualisation. Cable attachment, covering or mounting of EVOline modules.




Available surfaces




The handy cable aperture with integrated slider for locking the cable makes excess cable disappear elegantly from the table. The low installation depth and the EVOline fastening system guarantee simple and fast assembly.









Stainless steel look





More wireless charging options with Circle80

The new EVOline Circle80 DisQ is now available with a 15 W wireless induction charger integrated into the 270° swivel cover.

Compatible devices can be charged with the cover in both open and closed positions, enabling each of the familiar Circle80 functions to still be fully operational.

Circle80 Hide

Alternatively, if looking to elegantly conceal the power and connectivity, there is the new EVOline Circle80 Hide with a non-charging 270° swivel cover revealing connectivity as of when required.



EVOline[®] Circle80 DisQ



The Circle80 DisQ provides a perfect fit into any existing 80mm aperture, thus making it easy to retrofit/upgrade an existing product. Smartphone to be placed flat on surface to charge. Versions with a magnetic ring are optimally fixed. A separate plug-in power supply with USB-C connection is required for the function.

1.10 100 -100.000 the rise of a rise of a site of 100 1000 -2.0 -20 -----100.000 100 10.00 - 14 ----104 -10 --1.00 the real state and with the state state and with the state of the stat -ALC: NO - (* -ope of a relation of the set of -----100 102 108 -100 24 tight mide while while while while while 1.0 ------------- 16 100.00 with some same solar solar solar side 100.000 2.4 10 -44 13. 100 See 44 450 the side side with 100.00 -ALC: NOT A REAL PROPERTY. 100 -----13 15 17 15 15 -14 stik sin the sets who also use -100 10.00 . 1 -----table sites -100.000 ------the site of a state of the the state of a local plan with state and --10.0 -12.00 ------

-----------100.000 --100 12 11 10 10 10 10 100.000 24-1 100.000 - 14 14.00 ----- 4 1. --of the second second second - 14 20 -14 1.14 the side with 1.00 -10.00 18.4 --- 10 ---100.00 -1 -14 -10.12.10 1 -----12.14 13 -14 -14 -14 2 -14 -12 -2.6 1.0 2.4 200 100.00 2 2 -100 ---..... ---1000 1.000 100 -14 ---100 --26 -120 - the set of a 100 10.10 -2.6 100.0 --14 1.00 -2.00 -----1 -1 --100 100.00 100.000 -100 100 -- 10 ---

EVOline"



EVOline[®] Circle80 Access





Unexpected possibilities.

Just like the Circle80, the Circle80 Access uses the familiar 80 drill hole in desks, as well as the variety of modules

The sophisticated system allows a variety of cable routing and connections.

Wherever electricity is not needed, the optimal solution.







Freely configurable according to your wishes

Available colours



Black



White









EVDline*



EVOline[®] Circle80 Monitor plate

Brings together what belongs together.

Power and data connections, where they are expected, combined directly with the IT hardware.

The EVOline Monitor plate is the optimal complementary module to

the award-winning EVOline Circle80 and makes optimal use of its product advantages.

EVOline Circle80 and Monitor plate – two that belong together.











EVOline[®] BackFlip

Electricity and water - not a problem.

Always available, but never in the way. When closed, the EVOline BackFlip is only a thin panel on the desktop. Push it with a finger and it rotates by 180 degrees to show its useful side:

USB charger and power sockets are

located so far above the panel that they are protected against water running in from the side.

The low installation depth of just 53 mm allows mounting even above drawers or devices.



Surfaces match the ambience:



Stainless steel brushed



Stainless steel matt black lacquered (similar RAL 9005)



Glass glossy black (similar RAL 9005)



Glass matt black (similar RAL 9005)



Plastic metal-coated Brass look




Stainless steel matt white lacquered (similar RAL 9010)



Glass matt white (similar RAL 9003)



Ceramic concrete look





Available with internationally approved sockets.



Flush mounted installation possible.



Quick assembly in panels of 10 - 40 mm in thickness.





EVOline[®] Square80

Innovation in the smallest space.

Cable apertures with a diameter of 80 mm are standard in desks. The standard opening in the desktop can offer more than a hole with a cover though:



Freely configurable according to your wishes.




Available with internationally approved sockets.



The EVOline Square80 houses a power socket, a USB charger and a network connection in a diameter of 80 mm. The EVOline Square80 makes a smart offer even in the closed state:

In the optional Qi version, the sliding cover is designed as an inductive charging point, on which suitable mobile phones can be charged wirelessly.



Available surfaces



Stainless steel look



Black



White





EVOline[®] FlipTop *Push*

Opens at the touch of a finger.

The EVOline FlipTop Push is an elegant built-in solution for all work areas that need to be supplied with power, data and multimedia connections.







Interchangeable modules can be exchanged at any time. Fast and easy mounting or dismounting.





Flush mounted installation possible.



Fast mounting in panels up to 50 mm in thickness.





Practical cable routing ensures tidiness under the desk.



Adapter clip for secure WireLane connection.







Available surfaces



Stainless steel brushed



Steel matt black powder-coated (similar RAL 9005)



Steel matt white powder-coated (similar RAL 9003)



Steel matt grey powder-coated (similar RAL 9006)



EVOline[®] FrameDock

Individuality ex works.

The EVOline FrameDock mounts flush with horizontal or vertical surfaces, be it a desktop, a worktop in the kitchen, a wall or the lateral surface of a piece of furniture. The low installation depth facilitates the choice of location.

In terms of haptics, the functional, hinged aluminium lid is superb and protects the power outlet strip from getting dirty or dusty.



Available surfaces









Silver / black


Black


White

Always exchangeable. Interchangeable modules make it timeless and it grows with the requirements.



Silver







wishes.



EVOline[®] FrameDock Hide

Versatility. Covered or uncovered.

The EVOline FrameDock Hide provides the perfect solution for flush mounted sockets or charging into virtually any surface.

Totally modular, it can be customized to suit your needs however much or little connectivity required. Various finish options in conjunction with only 53mm total installation depth make this a robust and versatile all-rounder.

The new cover system enables your connectivity to be covered or uncovered when not in use.





Freely configurable according to your requirements.





Available colours



Silver / black



Black



White





EVOline[®] Port

There when you need it.

Just pull the EVOline Port out of the worktop. Connect and lower again with a gentle push.

The patented rocking cover leaves space for the cables so that only the surface is visible in the connected state.









Cover surfaces



Plastic silver coloured lacquered (similar RAL 9006)




Stainless steel solid



Plastic white lacquered (similar RAL 9003)



Plastic black lacquered (similar RAL 9005)



LED Nightlight









Night blue

Soft white



Steel chrome-plated




brass coloured lacquered



Anodised aluminium (similar RAL 9005)







Silver coloured anodised



Black anodised

Antique brass coloured anodized





Chrome plated



EVOline[®] Dock Square

Variable and mobile. Entirely in accordance with your wishes.

The EVOline Dock Square, the modern generation of the desktop systems, combines compactness, variability and mobility at the work place. From the Dock Square standard variant to the individually configured versions, interchangeable data and multimedia modules ensure limitless flexibility at all times if your usage requirements should change.



Freely configurable according to your wishes

Optional mounting with Metal mounting brackets for surface or base mounting.

Optional fastening option with various metal clamps for the edge of the desktop.

Simple adhe-

sive mounting

facilitates the

assembly. The

adhesive bond

at any time.

can be released





Optional mounting with integrated mounting brackets for surface mounting.



Available surfaces




Silver



Black



White





EVOline® Dock

Proven for office and hotel.

The EVOline Dock floats above the desktop and in this way provides for the maximum possible free space - either mobile on patented clamp feet or stationary on stainless steel clamps.

Internationally equipped with connections for power, data and multimedia.



Freely configurable according to your wishes

Available surfaces



Silver

White





Stainless steel look

Various fasteners






Mounting clamp



Double mounting clamp

Stainless steel clamp







EVOline[®] R-Dock

Variable. Combinable. Comfortable.

The EVOline R-Dock can be mounted at any 90-degree angle.

With its slightly angled front, it is easy to use.



K

Freely configurable according to your wishes

Back-to-back, it becomes a double unit on a free surface - and of course it's variably configurable in both types of use.

Available surfaces



Silver







White / black



White / white







EVOline® V-Dock

Fits in every corner.

The V-Dock can be mounted horizontally or vertically and is variable in length.

A further advantage: the connection cable is invisibly guided behind the profile in the angle. The V-Dock's 45-degree orientation in the room makes it easy to connect power and data cables.










Silver







EVOline[®] U-Dock

Professional. Robust. Safe. For hospitals, laboratories etc.

The aluminium profile of the EVOline U-Dock can be attached to, below or in front of the worktop in a variety of ways. As a robust basis for a professional power and data supply, it includes freely configurable power and data connections as well as safety modules for the protection of employees and machines. The electrically isolated interchangeable modules can be exchanged at any time.



A large number of power connection modules are available for the supply of power.

End cap with fixed power cable, available in different country versions.


Available with wire end ferrules, EVOLine plug or power plug.








Freely configurable according to your wishes












Optional end cap with mounting bracket







Silver



EVOline® Up

The mobile organiser.

It organises the most important connections and bundles them, easily accessible, right next to where they are needed.

The vertical multiple socket can be ordered with USB chargers in different versions and international power socket modules.

Available surfaces


Black, silver or white.



The EVOline Up can be attached quickly and securely to any work surface - even to glass - with the aid of adhesive strips and removed again without leaving residues behind.

Of course, it can also be firmly screwed to the surface if desired.







EVOline[®] Vertical






K Freely configurable according to your wishes

Stable. Space-saving.

The EVOline Vertical stands freely in the room, stable on a solid steel base. Upright, mobile and space-saving, it is the ideal solution for offices, hotels or salesrooms.

With a height of up to 1.20 m, the EVOline Vertical eliminates the need to bend down for sockets: power, multimedia and data connections are easily accessible at a comfortable height.



Available surfaces



Silver





EVOline[®] Express

Safety right from the start.


EVOline relies for office electrification on a modular power supply with decentralised safety modules.

The EVOline Express isolates sensitive circuits from each other and ensures operational safety.



powered by GST18 powered by GST18 WAGO WINSTA WAGO WINSTA

Possible




plug

socket

plug

socket






Self-extinguishing and flame-retardant plastics are standard.

Available colours



Red





Individuality is standard

An exciting connection. APSA and Schulte Elektrotechnik. The socket strips of the German brand APSA are now available again.

Schulte Elektrotechnik produces and distributes the proven APSA series under the well-known brand EVOline. As it is usual for many years with EVOline, each product is individually tested for resistance, high voltage and function tested, documented and stored. It is only then that they leave the factory with a test label and a consecutive test number.

Of course also for small series.







Available with internationally approved sockets.

EVOline[®] APSA

With EVOline APSA you become a co-designer.

The absolute configurability and a comprehensive modular programme fulfil almost every requirement of the customer. With EVOline APSA individuality is standard.

EVOline APSA remains 100% Made in Germany.

EVOline APSA, like all products from Schulte Elektrotechnik, stands for quality and reliability.

"Made in Germany".





EVOline® APSA 6000

Individuality is standard.

Configure your own variant. Profile lengths up to approx. 70 cm are possible..

The EVOline APSA 6000 was designed for use in industrial companies, workshops, offices and schools.

The basic shape consists of a very stable aluminium profile. In addition to numerous standard versions, the connector strip can also be configured individually.



An optional switch on the front end at the head end enables, for example, the simple switching on and off of a connection strip attached under the table.

Due to the shape of the end caps, the EVOline APSA 6000 connection cable can be easily wound up until the multiple socket is used.

Flexible and mobile. Thanks to the shape of the end caps the EVOline APSA 6000 socket strip is particularly easy to install in technical workplaces.







EVOline® APSA 7000

Individuality is standard.

Configure your own variant.

The EVOline APSA7000 has been specially developed for installation in 19" server racks.

The possibility of horizontal or vertical installation means that it takes up space from one height unit (1HU) to an ideal, universally mountable connector strip in the server rack.







The EVOline APSA7000 is available in many different versions. This includes options in black or grey, with protective contact sockets in different colours, cold device sockets or with 2-pin switches and circuit breakers.





The scope of delivery of the EVOline APSA 7000 always includes a set with two fixing brackets and eight screws.

Due to the square basic shape of the profile, the mounting brackets can be screwed on flexibly in 90° steps. screwed on.



Alternatively, a rotation angle is also available, which, without loosening screws, can be turned into another 90° position at any time at the touch of a button.









EVOline[®] Wireless Charger

EVOline Qi Charger

All Qi-compatible devices can be charged with the EVOline Qi Charger.

It is installed either under the table or worktop - so that the charging station is invisible - or as an insert for standard openings of Ø 80 mm.

The device to be charged is simply placed in the appropriate place - pure minimalism.

EVOline DisQ

The EVOline DisQ charges all devices that support wireless charging with a power of up to 15 watts.

Thanks to the integrated magnet the DisQ adheres to compatible devices and ensures perfect positioning in relation to the charging coil.


Diameter: 58 mm Height: 6 mm







ertified ID 2409













ALCONS ON ST.

















EVOline[®] Plug / PlugFix / PlugMiniFix

Extremely flat. Fits behind every cupboard. Prevents tripping hazards.

The extra-flat EVOline Plug easily fits behind every piece of furniture. Its intelligent hinge mechanism turns the grip into a lever - this way the plug can be removed from the socket without the use of force. Even if the cable is jerked, the plug is released without damage.

The EVOline Plug has won numerous awards for its smart ergonomics and minimalist design.









Plug

Mobile plug mating face for easy operation and prevention of tripping hazards




PlugFix

With installed cable and coupling or multiple socket.


PlugMiniFix

New, extra-small and flat EVOline PlugMiniFix combines the advantages of the proven PlugFix in an even smaller housing.







EVOline[®] Plug



EVOline[®] PlugFix





EVOline[®] PlugMiniFix



EVOline[®] Cable management

Cable management

Functionality and design should not stop at the edge of the desk. The desk looks good from every side with the Cable management solutions from EVOline.



EVOline Bridge

The EVOline Bridge tidies up the cable routing. The rail is rigid, suitable for rolling over and so flat that no tripping hazard arises. Power and data cables are laid separately in two compartments in their sturdy anodised aluminium housing.



EVOline WireLane


With EVOline WireLane, all cables run in orderly tracks. The plastic under-the-table channel is screwable, linkable and flexible. Individual links can be connected or disconnected.



EVOline Rail

Not all power and data connections need to be accessible on the desktop. In the case of representative tables, even a completely free area is often desired. EVOline Rail helps with under-the-table mounting, not least with the practical clip for fastening the WireLane.









Also available in black

This is how drawers are safely electrified.

The horizontal and vertical cable management system for all movable and extendable furniture parts EVOline Wing is the solution for indrawer-fitted sockets and charging systems.

Wing guides cables behind the drawer to save space without bending or jamming them, ensuring that drawers open and close easily. Added to kitchens or workrooms, wooden or metal rear panels, the fitted solution can be mounted as required so that connections are easily accessible and securely concealed in the storage space.



Suitable for all types of cables such as HDMI, LAN, all the way to wire ones that prevent drawers from being opened out all the way.





The EVOline Wing is compatible with a wide range of EVOline systems, according to your wishes or requirements.














Patent pending.





EVOline[®] Green Buildings







10 Deep drilling s of 100 m each for energy utilisation..

Floor and ceiling heating

Through thermal, water-activated floor panels on the entire production and storage area; fed by energy recovery, among other things.


Calculated result::


We already generate about 10 % of the total energy ourselves today.

Step by step we become energy self-sufficient.












We have been making our contribution to environmental and climate protection since 1974











Take a look at how with us "100 years of electrical engineering" have been replaced.

Schulte Elektrotechnik is a pioneer of innovative building infrastructure under the keyword: "decentralised electrical distribution".

EVOline[®]

Schulte Elektrotechnik GmbH & Co. KG

Jüngerstraße 21 D-58515 Lüdenscheid

phone +49 23 51 / 94 81-0 fax +49 23 51 / 4 26 58

mail info@schulte.com internet www.evoline.com



EN 7599 0912 0800 Issued: 11/2023 Subject to technical changes and printing errors | Illustrations similar.